





NAPA HIGH PERFORMANCE BUILDING  
NONRESIDENTIAL CHECKLIST

APPLICATION CHECKLIST	Napa Mandatory Checked	Voluntary CALGREEN Tier 1 Tier 2		Third-party Documentation/ Verification
<b>OUTDOOR WATER USE</b>				
<b>5.304.1 Landscape water use.</b> Projects with the minimum landscape areas in Napa Municipal Code Section 17.52.520 shall comply with the City of Napa <b>Water Efficient Landscape Ordinance (WELO)</b> .	<input checked="" type="checkbox"/>			
<b>A5.304.2 Outdoor water use.</b> For new water service, separate meters or submeters shall be installed for indoor and outdoor potable water use for landscape areas of at least 500 square feet but not more than 1,000 square feet.		<input type="checkbox"/>	<input type="checkbox"/>	
<b>A5.304.6 Restoration of areas disturbed by construction.</b> Restore all landscape areas disturbed during construction by planting with local adaptive and/or non-invasive vegetation.		<input type="checkbox"/>	<input type="checkbox"/>	
<b>A5.304.7 Previously developed sites.</b> On previously developed or graded sites, restore or protect at least 50% of the site area with adaptive and/or non-invasive vegetation.		<input type="checkbox"/>	<input type="checkbox"/>	
<b>A5.304.8 Graywater irrigation system.</b> Install a graywater collection system for onsite subsurface irrigation using graywater in compliance with the California Plumbing Code.		<input type="checkbox"/>	<input type="checkbox"/>	
<b>A5.304.9 Service Pressure.</b> Nonresidential structures shall be limited to a maximum of 60 psi static <b>service pressure</b> ; sites consistently experiencing greater than 65 psi shall require the installation of a pressure regulator. Piping for fire sprinkler systems is excluded from this requirement.	<input checked="" type="checkbox"/>			
<b>WATER REUSE</b>				
<b>A5.305.1 Nonpotable water systems.</b> Nonpotable water systems for indoor and outdoor use shall comply with the current edition of the California Plumbing Code.		<input type="checkbox"/>	<input type="checkbox"/>	
<b>A5.305.2 Irrigation systems.</b> Irrigation systems regulated by WELO shall use recycled water.		<input type="checkbox"/>	<input type="checkbox"/>	