




SIGN DETAIL



PAVEMENT IDENTIFICATION

TOTAL NUMBER OF PARKING SPACES	NUMBER OF ACCESSIBLE PARKING SPACES REQUIRED
1-25.....	1 VAN ACCESSIBLE
26-50.....	2 INCLUDING 1 VAN ACCESSIBLE
51-75.....	3 INCLUDING 1 VAN ACCESSIBLE
76-100.....	4 INCLUDING 1 VAN ACCESSIBLE
101-150.....	5 INCLUDING 1 VAN ACCESSIBLE
151-200.....	6 INCLUDING 1 VAN ACCESSIBLE
201-300.....	7 INCLUDING 1 VAN ACCESSIBLE
301-400.....	8 INCLUDING 1 VAN ACCESSIBLE
401-500.....	9 INCLUDING 2 VAN ACCESSIBLE
501-1000.....	2% INCLUDING 3 VAN ACCESSIBLE

NOTES:

- STANDARD R99 SIGN IN THE CALTRANS UNIFORM SIGN CHART.
- SIGN SHALL BE CENTERED AT THE INTERIOR END OF THE PARKING SPACE AT A HEIGHT OF 7' FROM THE BOTTOM OF THE SIGN TO THE PARKING SPACE FINISHED GRADE, OR CENTERED ON THE WALL AT THE INTERIOR END OF THE PARKING SPACE AT A MINIMUM OF 36' FROM THE PARKING SPACE FINISHED GRADE, GROUND, OR SIDEWALK.
- "VAN ACCESSIBLE" SIGN REQUIRED FOR EACH VAN SPACE.
- A SIGN SHALL ALSO BE POSTED AT EACH ENTRANCE TO OFF-STE PARKING FACILITIES. THE SIGN SHALL NOT BE LESS THAN 1 X 2IN SIZE WITH LETTERING NOT LESS THAN 1" IN HEIGHT: "UNAUTHORIZED VEHICLES PARKED IN DESIGNATED ACCESSIBLE SPACES NOT DISPLAYING DISTINGUISHED PLACARDS OR LICENSE PLATES ISSUED FOR PERSONS WITH DISABILITIES MAY BE TOWED AWAY AT OWNERS EXPENSE. TOWED VEHICLES MAY BE RECLAIMED AT _____ OR BY TELEPHONING _____."
- ALL LINES DELINEATING HANDICAP STALLS AND WALKWAYS SHALL BE PAINTED OR OUTLINED IN BLUE INCLUDING "OUTSIDE" STALL LINES AND A 36" X 36" SYMBOL PAINTED IN SPACE VISIBLE TO TRAFFIC OFFICER.
- THE MAXIMUM SLOPE IN ALL DISABILITY PARKING SPACES SHALL NOT EXCEED 2% ($\frac{1}{4}$ " PER FOOT) IN ANY DIRECTION.
- THESE DIAGRAMS ILLUSTRATE THE SPECIFIC REQUIREMENTS OF THE CALIFORNIA STATE CODE TITLE 24 SECTION 3105A (N) THRU SECTION 3108.0 (C). ANY CONFLICT SHALL DEFER TO STATE REQUIREMENTS, HOWEVER THE STALL LENGTH SHALL COMPLY WITH CITY DRAWING S-21A.
- WHEN LESS THAN 5 PARKING SPACES ARE PROVIDED, ONE SHALL BE 17' WIDE AND LINED TO PROVIDE A 9' PARKING AREA AND AN 8' LOADING AREA. HOWEVER, THERE IS NO REQUIREMENT THAT THE SPACE BE MARKED FOR HANDICAPPED USE ONLY.

CITY OF NAPA

PUBLIC WORKS DEPARTMENT

ADA OFF-STREET PARKING REQUIREMENTS

DRAWN BY:	LFM
APPROVAL DATE:	10/2021
SCALE:	NONE
REVISED DATE:	

CHECKED BY:	EBM
APPROVED BY:	JBL
DRAWING NO.	S-22