



PROVIDE MEANS TO SECURE GATE DOORS BOTH OPEN AND CLOSED, E.G. CANE BOLT

**DETAIL PROVIDED TO SHOW GENERAL LAYOUT AND DIMENSIONS OF A LARGE FOOD/OIL ENCLOSURE. SEE DETAILS SWR-1 AND SWR-1.1 FOR ADDITIONAL ENCLOSURE INFORMATION AND NOTES.**

**NOTES**

1. GRADE OF ENCLOSURE PADS SHALL BE FLAT SUCH THAT NO STORMWATER SHALL ESCAPE THE ENCLOSURE IF COMMINGLED WITH MUNICIPAL SOLID WASTE.
2. FOR ENCLOSURES WITH NO ROOF. FOR ENCLOSURES WITH ROOF BINS SHALL BE PLACED MAXIMUM 8" FROM VEHICLE ACCESS DOORWAY. ENCLOSURES WITH ROOFS SHALL ACCOUNT FOR VERTICAL CLEARANCES REQUIRED FOR OPENING LIDS OF BINS WITHIN ENCLOSURE.

CITY OF NAPA		UTILITIES DEPARTMENT	
TITLE		DRAWN BY:	CHECKED BY:
LARGE FOOD/OIL ENCLOSURE LAYOUT (EXHIBIT L)		DEH	SL
		APPROVAL DATE:	APPROVED BY:
		01/06/22	KM
		SCALE:	DRAWING NO.
		NONE	SWR-1L
		REVISED DATE:	
		09/2021	