



PLAN VIEW

DETAIL PROVIDED TO SHOW GENERAL LAYOUT AND DIMENSIONS OF A SMALL BIN ENCLOSURE. SEE DETAILS SWR-1 AND SWR-1.1 FOR ADDITIONAL ENCLOSURE INFORMATION AND NOTES.

NOTES

1. GRADE OF ENCLOSURE PADS SHALL BE FLAT SUCH THAT NO STORMWATER SHALL ESCAPE THE ENCLOSURE IF COMMINGLED WITH MUNICIPAL SOLID WASTE.
2. FOR ENCLOSURES WITH NO ROOF. FOR ENCLOSURES WITH ROOF, SEE CITY STD. SWR-1M.2, BINS SHALL BE PLACED MAXIMUM 8" FROM VEHICLE ACCESS DOORWAY. ENCLOSURES WITH ROOFS SHALL ACCOUNT FOR VERTICAL CLEARANCES REQUIRED FOR OPENING LIDS OF BINS WITHIN ENCLOSURE.

CITY OF NAPA

UTILITIES DEPARTMENT

TITLE BIN PLACEMENT WITHOUT ROOF	DRAWN BY: DEH	CHECKED BY: SL
	APPROVAL DATE: 01/06/22	APPROVED BY: KM
	SCALE: NONE	DRAWING NO.
	REVISED DATE: 09/2021	SWR-1M