



DETAIL PROVIDED TO SHOW GENERAL LAYOUT AND DIMENSIONS OF A SMALL BIN ENCLOSURE. SEE DETAILS SWR-1 AND SWR-1.1 FOR ADDITIONAL ENCLOSURE INFORMATION AND NOTES.

NOTES

1. GRADE OF ENCLOSURE PADS SHALL BE FLAT SUCH THAT NO STORMWATER SHALL ESCAPE THE ENCLOSURE IF COMMINGLED WITH MUNICIPAL SOLID WASTE.
2. FOR ENCLOSURES WITH NO ROOF, FOR ENCLOSURES WITH ROOF BINS SHALL BE PLACED MAXIMUM 8" FROM VEHICLE ACCESS DOORWAY. ENCLOSURES WITH ROOFS SHALL ACCOUNT FOR VERTICAL CLEARANCES REQUIRED FOR OPENING LIDS OF BINS WITHIN ENCLOSURE.
3. COMPOST COLLECTION WILL BE REQUIRED PER SB1383 EFFECTIVE JANUARY 2022.

CITY OF NAPA

UTILITIES DEPARTMENT

TITLE
**SMALL BIN ENCLOSURE LAYOUT
 (EXHIBIT B)**

DRAWN BY: DEH
 APPROVAL DATE: 01/06/22
 SCALE: NONE
 REVISED DATE: 09/2021

CHECKED BY: SL
 APPROVED BY: KM
 DRAWING NO.
 SWR-1B